

Citations for data used in the analyses and otherwise not cited in the text.

---

- Alexander, R. R. 1986. Engelmann spruce seed production and dispersal, and seedling establishment in the central rocky Mountains. USDA Forest Service General Technical Report RM-134.
- Bates, C. G. 1930. The production, extraction, and germination of lodgepole pine seed. USDA Technical Bulletin No. 191.
- Beck, D. E. 1977. Twelve-year acorn yield in southern Appalachian oaks. USDA Forest Service Research Note SE-244.
- Boe, K. N. 1954. Periodicity of cone crops for five Montana conifers. Proceedings of the Montana Academy of Sciences 14:5-9.
- Burns, P. Y., D. M. Christisen, and J. M. Nichols. 1954. Acorn production in the Missouri ozarks. University of Missouri Agricultural Experiment Station Bulletin 611.
- Caron, G. E., and G. R. Powell. 1989. Patterns of seed-cone and pollen-cone production in young *Picea mariana* trees. Canadian Journal of Forest Research 19:359-364.
- Christisen, D. M., and W. H. Kearby. 1984. Mast measurement and production in Missouri (with special reference to acorns). Missouri Department of Conservation Terrestrial Series #13.
- Crawley, M. J., and C. R. Long. 1995. Alternate bearing, predator satiation and seedling recruitment in *Quercus robur* L. Journal of Ecology 83:683-696.
- Dahms, W. G., and J. W. Barrett. 1975. Seed production of central Oregon ponderosa and lodgepole pines. USDA Forest Service Research Paper PNW-191.
- Daubenmire, R. 1960. A seven-year study of cone production as related to xylem layers and temperature in *Pinus ponderosa*. American Midland Naturalist 64:187-193.
- DeGange, A. R., J. W. Fitzpatrick, J. N. Layne, and G. E. Woolfenden. 1989. Acorn harvesting by Florida scrub jays. Ecology 70:348-356.
- Downs, A. A., and W. E. McQuilkin. 1944. Seed production of southern Appalachian oaks. Journal of Forestry 42:913-920.
- Eis, S., E. H. Garman, and L. F. Ebell. 1965. Relation between cone production and diameter increment of Douglas fir (*Pseudotsuga menziesii* (Mirb.) Franco), grand fir (*Abies grandis* (Dougl.) Lindl.), and western white pine (*Pinus monticola* Dougl.). Canadian Journal of Botany 43:1553-1559.

- Eriksson, K. 1970. Ecology of the irruption and wintering of Fennoscandian redpolls (*Carduelis flammea*. coll.). *Annales Zoologici Fennici* 7:273-282.
- Feret, P. P., R. E. Kreh, S. A. Merkle, and R. G. Oderwald. 1982. Flower abundance, premature acorn abscission, and acorn production in *Quercus alba* L. *Botanical Gazette* 143:216-218.
- Forcella, F. 1981. Estimating pinyon cone production in New Mexico and western Oklahoma. *Journal of Wildlife Management* 45:553-557.
- Formozov, A. N. 1960. La production de graines dan les forêts de conifères de la taiga de l'U.R.S.S. et l'envahissement de l'Europe occidentale par certaines espèces d'oiseaux. *Proceedings International Ornithological Congress* 12:216-229.
- Fowells, H. A., and G. H. Schubert. 1956. Seed crops of forest trees in the pine region of California. *USDA Technical Bulletin* 1150.
- Franklin, J. F. 1968. Cone production by upper slope conifers. *Pacific NW Forest Range Experiment Station Research Paper No. PNW-60*.
- Gashwiler, J. S. 1969. Seed fall of three conifers in west-central Oregon. *Forest Science* 15:290-295.
- Godman, R. M., and G. A. Mattson. 1976. Seed crops and regeneration problems on 19 species in Northeastern Wisconsin. *USDA Forest Service Research Paper NC-123*.
- Grisez, T. J. 1975. Flowering and seed production in seven hardwood species. *USDA Forest Service Research Paper NE-315*.
- Gysel, L. W. 1971. A 10-year analysis of beechnut production and use in Michigan. *Journal of Wildlife Management* 35:516-519.
- Gysel, L. W., and W. A. Lemmien. 1964. An eight-year record of fruit production. *Journal of Wildlife Mangement* 28:175-177.
- Hagner, S. 1965. Cone crop fluctuations in Scots pine and Norway spruce. *Studia Forestalia Suecica* 22:1-22.
- Haig, I. T., K. P. Davis, and R. H. Weidman. 1941. Natural regeneration in the western white pine type. *USDA Department of Agriculture Technical Bulletin* 767.
- Hedlin, A. F. 1964. A sex-year plot study on Douglas-fir cone insect population fluctuations. *Forest Science* 10:124-128.

- Hilton, G. M., and J. R. Packham. 1986. Annual and regional variation in English beech mast (*Fagus sylvatica* L.). *Arboricultural Journal* 10:3-14.
- Hofgaard, A. 1993. Seed rain quantity and quality, 1984-1992, in a high altitude old-growth spruce forest, northern Sweden. *New Phytologist* 123:635-640.
- Holmsgaard, E. 1955. Tree-ring analyses of Danish forest trees. *Forestalia Forsogsv Danmark* 22:1-246.
- Houle, G. , and L. Filion. 1993. Interannual variations in the seed production of *Pinus banksiana* at the limit of the species distribution in Northern Québec, Canada. *American Journal of Botany* 80:1242-1250.
- Imada, M., T. Nakai, T. Nakamura, T. Mabuchi, and Y. Takahashi. 1990. Acorn dispersal in natural stands of mizunara (*Quercus mongolica* var. *grosseserrata*) for twenty years. *Journal of the Japanese Foetry Society* 72:426-430.
- Kim, K. S., H. M. Kwon, S. Y. Shim, and Y. J. Kim. 1989. Effects of tree age and meteorological factors on the seed production of *Larix leptolepis* Gordon. *Research Report Institute Forestry General Korea* 25:41-47.
- Koenig, W. D., R. L. Mumme, W. J. Carmen, and M. T. Stanback. 1994. Acorn production by oaks in central coastal California: variation within and among years. *Ecology* 75:99-109.
- Larson, M. M., and G. H. Shubert. 1970. Cone crops of ponderosa pine in central Arizona, including the influence of Abert squirrels. *USDA Forest Service Research Paper RM-58*.
- Lester, D. T. 1967. Variation in cone production of red pine in relation to weather. *Canadian Journal of Botany* 45:1683-1691.
- Maguire, W. P. 1956. Are ponderosa pine cone crops predictable? *Journal of Forestry* 54:778-779.
- Matthews. J. D. 1955. The influence of weather on the frequency of beech mast years in England. *Forestry* 28:107-116.
- McDonald, P. M. 1992. Estimating seed crops of conifer and hardwood species. *Canadian Journal of Forest Research* 22:832-838.
- McLemore, B. F. 1975. Cone and seed characteristics of fertilized and unfertilized longleaf pines. *USDA Forest Service Research Paper SO-109*.
- McNeill, W. M. 1954. Observatoins on cone and seed production in plantations of scots pine in Scotland. *Forestry* 27:122-133.

- McQuilkin, R. A., and R. A. Musbach. 1977. Pin oak acorn production on green tree reservoirs in southeastern Missouri. *Journal of Wildlife Management* 41:218-225.
- Nicholas, N. S., and P. S. White. 1984. Great Smoky Mountain National Park hard mast survey: an evaluation of the current survey, analysis of past data, and discussion of alternatives for future surveys. National Park Service, SE region, Research/Resources Management Report SER-68.
- Nielsen, B. O. 1977. Beech seeds as an ecosystem component. *Oikos* 29:268-274.
- Noble, D. L., and F. Ronco, Jr. 1978. Seedfall and establishment of Engelmann spruce and subalpine fir in clearcut openings in Colorado. USDA Forest Service Research Paper RM-200.
- Perrins, C. M. 1966. The effect of beech crops on great tit populations and movements. *British Birds* 59:419-432.
- Phillipson, J., R. J. Putman, J. Steel, and S. R. J. Woodell. 1975. Litter input, litter decomposition and the evolution of carbon dioxide in a beech woodland—Wytham Woods, Oxford. *Oecologia* 20:203-217.
- Rehfeldt, G. E., A. R. Stage, and R. T. Bingham. 1971. Strobili development in western white pine: periodicity, prediction, and association with weather. *Forest Science* 17:454-461.
- Reinikainen, A. 1937. The irregular migrations of the crossbill, *Loxia c. curvirostra*, and their relation to the cone-crop of the conifers. *Ornis Fennica* 14:55-64.
- Reukema, D. L. 1982. Seedfall in a young-growth Douglas-fir stand: 1950-1978. *Canadian Journal of Forest Research* 12:249-254.
- Roeser, J. Jr. 1942. The influence of climate on seed production in Douglas fir. *Journal of Forestry* 40:304-307.
- Saito, H., and M. Takeoka. 1985. Pollen production rates in a young Japanese red pine forest. *Japanese Journal of Ecology* 35:67-76.
- Saito, H., H. Imai, T. Nakaguchi, C. Kugo, H. Kawase, and M. Takeoka. 1989. A comparison of different ages for the male flower, pollen, female flower and seed production of *Quercus mongolica* var. *grosseserrata* stands. *Scientific Reports of the Kyoto Prefectural University, Agriculture* 41:46-58.
- Saito, H., T. Itsubo, and M. Takeoka. 1991a. Production rates of reproductive organ in *Quercus serrata* stands: the investment of photosynthates in seed production. *Bulletin Kyoto Prefectural University, Forestry* 35:1-14.

- Saito, H., H. Imai, and M. Takeoka. 1991b. Peculiarities of sexual reproduction in *Fagus crenata* forests in relation to annual production of reproductive organs. *Ecological Research* 6:277-290.
- Sarvas, R. 1968. Studies on the seed setting of Norway spruce. *Meddeleser fra det Norske Skogforsøksvesen* 48:533-556.
- Shearer, R. C. 1984. Influence of insects on Douglas-fir and western larch cone and seed production in western Montana. pp. 112-121 in H. O. Yates (editor). *Proceedings of the cone and seed insects working party conference*. Southeastern Forest Experiment Station, Asheville, North Carolina.
- Shearer, R. C. 1990. Seed and pollen cone production in *Larix occidentalis*. pp. 14-17 in J. W. Turnbull (editor) *Tropical tree seed research*. Australian Centre for International Agricultural Research Proceedings 28.
- Sork, V. L., J. Bramble, and O. Sexton. 1993. Ecology of mast-fruited in three species of North American deciduous oaks. *Ecology* 74:528-541.
- Sundahl, W. E. 1971. Seedfall from young-growth ponderosa pine. *Journal of Forestry* 69:790-792.
- Svärdson, G. 1957. The "invasion" type of bird migration. *British Birds* 50:314-343.
- Tallqvist, K. 1978. Results of long-time measurements of the quality of flowering and seed crop of trees. *Folia Forestali* 364:1-60.
- Tryon, E. H., and K. L. Carvell. 1962. Acorn production and damage. West Virginia University Agricultural Experiment Station Bulletin 466T.
- Ulfstran, S. 1963. Ecological aspects of irruptive bird migration in Northwestern Europe. *Proceedings International Ornithological Congress* 13:780-794.
- van Vredenburgh, C. L. H., and J. G. A. La Bastide. 1969. The influence of meteorological factors on the cone crop of Douglas-fir in the Netherlands. *Silvae Genetica* 18:182-186.
- Waldron, R. M. 1965. Cone production and seedfall in a mature white spruce stand. *Forestry Chronicle* 41:316-329.
- Weaver, M. J. and F. Forcella. 1986. Cone production in *Pinus albicaulis* forests. pp. 68-76 in *Proceedings of a symposium on conifer tree seeds in the Inland Mountain west*. USDA Forest Service General Technical Report INT-203.
- Wenger, K. F. 1957. Annual variation in the seed crops of loblolly pine. *Journal of Forestry* 55:567-569.

Zasada, J. C. 1970. White spruce cone and seed production in interior Alaska, 1957-1968. Pacific NW Forest and Range Experiment Station Research Note PNW-129.